

The Middle Miocene musteloid *Trochotherium cyamoides* and the evolution of bunodont dentition in stem mephitids

Diego Sánchez-Hernández, Andrés Fernández-Reyes, Miguel Parra, Serdar Mayda, M. Ángeles Álvarez-Sierra, and Alberto Valenciano

Acta Palaeontologica Polonica 71 (3), 2026: 431-448 doi:10.4202/app.01347.2026

The enigmatic musteloid species *Trochotherium cyamoides* is a poorly understood carnivoran that has been found at several fossil sites in Europe dating exclusively to the latest Middle Miocene (MN 7/8). Newly described material of *T. cyamoides* from La Grive-Saint-Alban (France) and Kleinenbach (Germany) lead to a comprehensive re-evaluation of the species and the designation of a lectotype and paralectotype from the Steinheim am Albuch type locality. The highly derived dentition of *Trochotherium* obscures its systematic position. Nevertheless, the morphology of the upper fourth premolar (P4) and the presence of accessory rootlets in the lower carnassial (m1) indicate an affinity with the family Mephitidae. In contrast, the bunodont morphology of the upper first molar (M1) and the m1 suggests that *T. cyamoides* represents a stem mephitid, closely related to the Early Miocene *Miomephitis* from Wintershof-West (Germany) and especially to the Late Miocene *Neoyunnanotherium* from Lufeng and Yuanmou (China). While previously interpreted as a semi-aquatic molluscivorous mammal, we find that its unique dental morphology among Carnivora is more similar to that of certain snail-eating marsupials and lizards, leading us to suggest that it fed primarily on terrestrial gastropods.

Key words: Mammalia, Mephitidae, *Miomephitis*, *Neoyunnanotherium*, durophagy, Miocene, Germany, France.

Diego Sánchez-Hernández [diesan11@ucm.es; ORCID: <https://orcid.org/0009-0000-9840-7148>] (corresponding author), Andrés Fernández-Reyes [andfer39@ucm.es; ORCID: <https://orcid.org/0009-0004-4866-0670>], Miguel Parra [migupa01@ucm.es; ORCID: <https://orcid.org/0009-0000-2828-5915>], and M. Ángeles Álvarez-Sierra [masierra@ucm.es; ORCID: <https://orcid.org/0000-0002-2649-5887>], Departamento de Geodinámica, Estratigrafía y Paleontología, Facultad de Ciencias Geológicas, Universidad Complutense de Madrid, Madrid, Spain. Serdar Mayda [serdar.mayda@ege.edu.tr; ORCID: <https://orcid.org/0000-0001-5432-3559>], Department of Biology, Ege University, İzmir, Turkey. Alberto Valenciano [albvalen@ucm.es; ORCID: <https://orcid.org/0000-0003-1633-2248>] (corresponding author), Departamento de Geodinámica, Estratigrafía y Paleontología, Facultad de Ciencias Geológicas, Universidad Complutense

de Madrid, Madrid, Spain; Research and Exhibitions, Iziko Museums of South Africa, 25 Queen Victoria Street, Cape Town, South Africa.

This is an open-access article distributed under the terms of the Creative Commons Attribution License (for details please see creativecommons.org), which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited.

 [Full text \(1,218.6 kB\)](#)