

Cranial morphology of the Cretaceous eutherian mammal *Barunlestes*

Zofia Kielan-Jaworowska and Boris A. Trofimov
Acta Palaeontologica Polonica 25 (2), 1980: 167-185

Skull and lower jaw of Late Cretaceous (?middle Campanian) eutherian zalambdalestid genus *Barunlestes* from the Gobi Desert in Mongolia is described and figured. It is characterized by: maxilla extending backwards along the

choanae, the presphenoid with a prominent median process, very large pterygoid process of basisphenoid, a fissura Glaseri, postglenoid process extending only opposite the medial part of glenoid fossa, large promontorium, foramen arteriae stapediae, sulcus arteriae stapediae, no sulcus arteriae promontorii. Large promontoria and large olfactory bulbs indicate strong development of auditory and olfactory senses in *Barunlestes*. Basicranial structure of *Barunlestes* supports Presley's (1979) idea that the primitive mammalian morphotype with two vessels (medial internal carotid and promontory), should be revised.

Key words: Arteria carotis interna, *Barunlestes*, braincase, Cretaceous, endocranial casts, Mongolia.

This is an open-access article distributed under the terms of the Creative Commons Attribution License (for details please see creativecommons.org), which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited.