

Late Albian to early/mid-Cenomanian ostracodes from Northern Galala Plateau, Egypt

Janina Szczechura, Ezzat Abd-Elshafy, and Jean-Francois Babinot
Acta Palaeontologica Polonica 36 (1), 1991: 3-38

Middle Cretaceous ostracodes from two sections in the Northern Galala Plateau, western coastal Gulf of Suez (Egypt) are presented. 30 species have been recorded, of which 4 are new: *Asclocythere galalaensis*, *Perissocytheridea ignota*, *Eocytheropteron pecteniferum* and *?Spinoleberis calcalifera*. Most of the species have been known so far from the Albian and/or Cenomanian of the South Tethys, especially the Near East. No species common for these ages from the North and South Tethys i.e. Africa and Europe, have been found. Ostracode associations probably show the late Albian to early/mid-Cenomanian age. The distribution is related to fluctuating conditions within the studied area, from euhaline to brackish/shallow water environments.

Key words: Ostracodes, Albian, Cenomanian, Egypt

This is an open-access article distributed under the terms of the Creative Commons Attribution License (for details please see creativecommons.org), which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited.

 [Full text \(2,233.4 kB\)](#)