

## Description of a new stromateoid fish from the Miocene of St. Eugène, Algeria

Giorgio Carnevale and Alexandre F. Bannikov  
*Acta Palaeontologica Polonica* 51 (3), 2006: 489-497

A single specimen of the axial skeleton of an elongate fossil stromateoid fish, collected from the Upper Miocene (Messinian) St. Eugène locality of north-western Algeria, is identified as a new species *Ariomma geslini* sp. nov. of the family Ariommatidae. It is based on a unique combination of features, including morphology and arrangement of pleural ribs, structure and orientation of anterior portion of the anal fin, unique sequential arrangement of anal-fin pterygiophores in relation to the haemal spines, and presence of large cycloid scales and meristics. The morphology and orientation of the first anal-fin pterygiophore indicate that *A. geslini* sp. nov. is probably related to the amphi-Atlantic species *A. bondi* and *A. melanum*. The analysis of the fossil record of the Stromateoidei suggests that the ariommatids were already in existence at least as early as the Eocene.

**Key words:** Teleostei, Perciformes, Ariommatidae, Miocene, Messinian, Algeria.

Giorgio Carnevale [carnevale@dst.unipi.it](mailto:carnevale@dst.unipi.it), CNR - Istituto di Geoscienze e Georisorse and Dipartimento di Scienze della Terra, via S. Maria, 53 I-56126 Pisa, Italia; Alexandre F. Bannikov [aban@paleo.ru](mailto:aban@paleo.ru), Paleontological Institute, Russian Academy of Sciences, Profsoyuznaya 123, Moscow 117997, Russia

This is an open-access article distributed under the terms of the Creative Commons Attribution License (for details please see [creativecommons.org](http://creativecommons.org)), which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited.