

## Soft tissue preservation in the Lower Cambrian linguloid brachiopod from South China

Zhifei Zhang, Jian Han, Xingliang Zhang, Jianni Liu, and Degan Shu

*Acta Palaeontologica Polonica* 49 (2), 2004: 259-266

The organization of the lophophore and the digestive system are recognized as two of the diagnostic characters in the definition of higher brachiopod taxa, and hence play a major role in their phylogenetic analysis, their structure, however, is very rarely fossilized. Here we describe and interpret specimens of the brachiopod *Lingulellotreta malongensis*, from the Lower Cambrian Chengjiang Lagerstätte (South China), one of the earliest known taxa of the Lingulellotretidae, in which lophophores and intact, U-shaped digestive tracts are extraordinarily well-preserved. The lophophore, with clearly preserved tentacles, corresponds to an early spirolophore developmental stage. The digestive tract consists of a mouth, esophagus, distended stomach, intestine and an anterior anus, and differs from that of the Chengjiang obolid *Lingulella chengjiangensis* by the presence of the dilated stomach and by the absence of a looped intestine as in *Lingula*. In addition, the relative sizes of the mantle and visceral cavities of *Lingulellotreta malongensis* also are described. These fossils demonstrate that by the Atdabanian brachiopods had already possessed advanced features, and suggest that a lophophore and a U-shaped intestine with an anterior anus are brachiopod plesiomorphies.

**Key words:** Linguloidea, lophophore, digestive tract, Lower Cambrian, Chengjiang Lagerstätte, China.

Zhifei Zhang [[zhangelles@sina.com.cn](mailto:zhangelles@sina.com.cn)], Jian Han [[hanjianelle@263.net](mailto:hanjianelle@263.net)], Xingliang Zhang [[Xlzhang@pub.xaonline.com](mailto:Xlzhang@pub.xaonline.com)], and Jianni Liu [[liujianni@263.net](mailto:liujianni@263.net)], Early Life Institute and Key Laboratory for Continental Dynamics of the Ministry Education, Northwest University, Xi'an, 710069, China; Degan Shu [[elidgshu@nwu.edu.cn](mailto:elidgshu@nwu.edu.cn)], Early Life Institute and Department of Geology, Northwest University, Xi'an, 710069, China; School of Earth Sciences and Resources, China University of Geosciences (Beijing), 100083, China.

This is an open-access article distributed under the terms of the Creative Commons Attribution License (for details please see [creativecommons.org](http://creativecommons.org)), which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited.

 [Full text \(875.2 kB\)](#)