

Silurian synziphosurine horseshoe crab Pasternakevia revisited

Wiesław Krzemiński, Ewa Krzemińska, and Dariusz Wojciechowski *Acta Palaeontologica Polonica* 55 (1), 2010: 133-139 doi: http://dx.doi.org/10.4202/app.2008.0074

The synziphosurine horseshoe crab *Pasternakevia* was until now known only from a single specimen. Herein we describe three new specimens from the outcrop close to the type locality of monotypic *P. podolica* that show several features that were unknown or only assumed in this genus. These characters include: a smooth surface of the carapace; an opisthosoma composed of ten segments, the first one being a microtergite (strongly reduced first opisthosomal segment usually hidden under the carapace), two or three last segments fused into a metasoma, and the telson. *Pasternakevia* is included in Bunodidae due to a hypertrophied tergite 2, but it is linked to the Pseudoniscidae by the shape of the opisthosoma.

Key words: Arthropoda, Xiphosura, Bunodidae, *Pasternakevia*, microtergite, phylogeny, Silurian, Ukraine.

Wiesław Krzemiński, Ewa Krzemińska [krzeminska@isez.pan.krakow.pl], and Dariusz Wojciechowski, Institute of Systematics and Evolution of Animals, Polish Academy of Sciences; ul. Sławkowska 17, 31-016 Kraków, Poland.

This is an open-access article distributed under the terms of the Creative Commons Attribution License (for details please see <u>creativecommons.org</u>), which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited.

