

A new genus and species for the largest specimen of Archaeopteryx

Andrzej Elżanowski Acta Palaeontologica Polonica 46 (4), 2001: 519-532

The Solnhofen (Sixth) specimen of *Archaeopteryx* is assigned to *Wellnhoferia grandis* gen. et sp. n. on the basis of qualitative, size-independent autapomorphies. *Wellnhoferia* differs from *Archaeopteryx* in a short tail with the estimated number of 16-17 caudals; a nearly symmetric pattern of pedal rays II-IV with metatarsals II and IV of equal length and digit IV substantially shorter than in *Archaeopteryx*; and the number of four (instead of five) phalanges of pedal digit IV, which most probably results from a phylogenetic reduction rather than individual variation. A combination of large size and details of the pelvic limb suggests a locomotor specialization different from that of *Archaeopteryx*.

Key words: Archaeopteryx, Wellnhoferia, birds, Aves, Jurassic, Solnhofen.

Andrzej Elżanowski [<u>elzanowski@biol.uni.wroc.pl</u>], Institute of Zoology, University of Wrocław, ul. Sienkiewicza 21, PL-50-335 Wrocław, Poland.

This is an open-access article distributed under the terms of the Creative Commons Attribution License (for details please see <u>creativecommons.org</u>), which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited.

